




## NEGOZIO BGX1



 +971 65 260 706     sales-me@hansagreen.com

 Hamriyah Free Zone Sharjah, UAE.

# NEGOZIO BGX1

## LED GIMBAL LIGHT

- ☐ **360° Adjustable** Gimbal – Direct light precisely in any direction.
- ☐ Low Glare - Low glare via optimized optics.
- ☐ Long Life: 50,000+ hrs - Minimal maintenance.
- ☐ High Luminous Efficacy - More light output.
- ☐ Consistent Performance & Quality - Delivers stable brightness.




### BG1-40

Technical			IK02	IP20	UGR <19	CRI >80
Light Source			COB		-	
Luminous Efficacy (subject to a tolerance of ±10%)			100		Lumen / Watt	
Correlated Colour Temperature (CCT)			3000/4000/6500		Kelvin	
Lifetime			50,000		Hours	
McAdam Binning			3		Step	
Housing						
Body			Aluminium		Die-cast	
Lens / Diffuser			Clear glass			
Reflector			Faceted silver			
Mounting			Recessed			
Thermal						
Ambient Temperature (Ta)			-20 to 45		°Celsius	
Storage Temperature (Ts)			-20 to 50		°Celsius	
Humidity			10 to 90		RH(%)	

## ELECTRICAL CHARACTERISTICS

Control Option	ON/OFF	 PHASE DIMMING	 1-10V	
Control Brand	Hansagreen/Tridonic			On/off
Rated Power	40			Watts
Input Current (@ 230V)	0.17			Amps
Input Voltage	220 to 240			VAC
Frequency	50 to 60			Hertz
Output Current	1050			mA
Output Voltage	24 to 42			VDC
Power Factor	>0.95			

## DIMENSIONAL DETAILS



All measurements are in mm

L/D	W	H	Cutout	Weight
185	185	145	155x155	1.1 kg

## PHOTOMETRIC DETAILS

Beam Angle	18.5°
------------	-------

